

Fuel Choice, Nuclear Energy, Climate and Carbon

Abstract

Will uranium will be among the future fuel choices in electricity production? When one considers the low-carbon footprint of this energy option, it should be. However, the risks of an accident involving a nuclear power plant, or more appropriately the perceived risks associated with an accident at a nuclear power plant, is but one of the issues that makes the impact assessment process related to nuclear energy projects challenging. Strategic environmental assessments for future fuel choices in electricity generation, particularly ones that consider the use of life cycle assessment information, would be useful for decision-makers wrestling climate change issues. But more importantly from an impact assessment perspective, provide for a comparative assertion for public disclosure on the environmental impacts of fuel choice. This would provide the public and government decision makers with a more complete view of the role nuclear energy may be able to play in mitigating the climate and carbon impacts of increased electricity production, and place issues of accidents and radioactivity in a more understandable context.

Introduction

According to the International Association for Impact Assessment (IAIA), a good-quality Strategic Environmental Assessment (SEA) process informs planners, decision makers and affected public on the sustainability of strategic decisions, facilitates the search for the best alternative and ensures a democratic decision making process. This, in turn, enhances the credibility of decisions and leads to more cost- and time-effective EA at the project level.¹

There are important differences between SEA and environmental impact assessment (EIA): SEA addresses policies, plans and programs while EIA is project specific. SEA focuses on decision-making processes rather than the final assessment report of these processes. The scope of SEA is wider and more sustainability-oriented; therefore its time scale tends to be longer. SEA requires mostly qualitative information and only necessary quantitative data, while EIA is generally based on the latter. Unlike EIA, SEA is regarded as a process rather than a single activity or output (e.g. a report).² SEA came about not only in response to EIA insufficiencies, but to support the development of policy and planning practices with a stronger environmental component, and fulfill a fundamental role in promoting sustainable principles and practices and the consideration of cumulative effects.³

Given its greater potential to inform sustainability-led decisions, this paper argues that SEA is better suited to consider the complexities and challenges that accompany nuclear energy related projects than EIA alone. Nuclear energy is one of only two primary energy sources found to be favourable across the dimensions of energy accessibility, availability and acceptability by the World Energy Council (the other

¹ IAIA, Special Publication Series No. 1: Strategic Environmental Assessment: Performance Criteria, January 2002

² The World Bank, Environmental Impact Assessment Regulations and Strategic Environmental Assessment Requirements: Practices and Lessons Learned in East and Southeast Asia, 2006: 5

³ IAIA Training Course Manual, Strategic Environmental Assessment: Current Practices, Future Demands and Capacity-Building Needs, 2003: 4

being hydro).⁴ With regards to climate and carbon (i.e. the climate problem), the IEA's 2011 World Energy Outlook calculates less nuclear power would boost demand for fossil fuels. This would be put additional upward pressure on energy prices, raise additional concerns about energy security and make it harder and more expensive to combat climate change (some \$1.5 trillion). The consequences would be particularly severe for countries with limited indigenous energy resources which have been planning to rely relatively heavily on nuclear power, and make it considerably more challenging for emerging economies to satisfy their rapidly growing demand for electricity.⁵

Fuel choice matters to the climate problem. Life cycle assessment of the various options for electricity generation can provide sufficient, reliable and usable information for development planning and decision making. In addition to greenhouse gases (GHG), qualitative information exists with regards to a variety of valued environmental, social and economic components, including: stratospheric ozone depletion, acidification, eutrophication, photochemical smog and other air pollutants, terrestrial toxicity, aquatic toxicity, human health impacts, water use, land use, biodiversity, raw materials/resource depletion and energy payback. SEA provides for the incorporation of such information better than project-focussed EIA as it concentrates on key issues of sustainable development.

Integrating LCA into SEA

Many different forms of SEA have developed over the past three decades (e.g. World Bank – regional and sectoral EAs; UNDP – environmental overview; Canada – policy environmental assessment; USA – programmatic environmental impact assessment), for a variety of different purposes (policy assessment, regional and spatial planning, sector planning, regional). When energy has been subjected to a SEA, it has been largely covered either as a sectoral policy or plan (e.g. SEA of the 2nd Dutch National Structural Scheme Electricity Supply; Strategic/Sectoral, Social and Environmental Assessment of Power Development Options in the Nile Equatorial Lakes Region – the World Bank/CIDA). Over the same time period, a range of life cycle assessments of energy options and impacts have been completed (e.g. Hydro Quebec – Greenhouse Gas Emissions from Power Generation Options; European Union – ExternE-Pol; IAEA – Guide to life-cycle greenhouse gas emissions from electric supply technologies). This experience provides us with the opportunity on a going forward basis to integrate the two approaches.

A life cycle assessment (LCA) is the assessment of the environmental impact of a given product (electricity) throughout its lifespan.⁶ The goal of LCA is to compare the environmental performance of products to choose the least burdensome. Given the significance of the predicted environmental impact of climate change, life cycle information pertaining to carbon and climate in fuel choice for electricity generation is of immense value to decision makers.

Life cycle assessment (LCA) can be integrated in many SEA forms as a source of information with regards to:

⁴ World Energy Council, Comparison of Energy systems Using Life Cycle Assessment, 2004: 53

⁵ International Energy Agency, World Energy Outlook 2011 - Executive Summary: 6

⁶ The lifespan of a product is referred to as its life cycle, and includes raw material production, manufacture, distribution, use and disposal (including all intervening transportation steps). ISO 14040 and related publications provide guidance for conducting LCAs.

- Baseline studies (“points of reference” for valued ecosystem components);
- Formulating options (comparative risk assessments);
- Impact analysis (environmental indicators and criteria); and
- Documentation for decision-making (cross-impact matrices).

The purpose of integrating LCA into SEA would be to assist with the comparison and assessment of alternatives, and the identification of strategic options. As such, it is likely best applied at the policy/strategy stage, through a sectoral SEA or policy appraisal, particularly when coupled with explicit reference to sustainability objectives, principles or targets.

LCA and Fuel Choice

At the highest levels, core sustainability indicators (i.e. objectives, principles or targets) cover economic, social and economic considerations. For SEA, such topics may cover biodiversity (e.g. conserve biodiversity at the ecosystem level), flora and fauna (e.g. conserve native habitats); population and human health (e.g. protect human health); water (e.g. limit water pollution); soil (e.g. safeguard soil quality); and air (e.g. limit air pollution).⁷ As noted above, LCAs of electricity generation options can bring a wide range of information of relevance to a SEA. For the purposes of this paper LCA information for nuclear energy and its “carbon footprint,” compared to other electricity generation options is presented in Table 1.

The LCAs for electricity generation indicate that life cycle emissions of GHG from nuclear are significantly lower than with fossil fuels by several orders of magnitude and, in general, in the same range as renewable energy sources such as hydro and wind. Replacing fossil fuel electricity with low carbon sources of electricity, including nuclear, has significant potential for abating GHG emissions in the electricity generating sector. In fact, the IPCC’s Fourth Assessment Report shows that nuclear power has the largest mitigation potential at the lowest average cost in the energy supply sector.⁸

LCAs for electricity generation also indicate that on most criteria considered, nuclear energy has among the lowest adverse impacts. Several studies which use the results of LCA have shown nuclear to have among the lowest (and at times the lowest) external costs of the primary energy sources. Voss (2009) reports nuclear energy’s external costs as comparable to wind and small hydro (< 0.5 euro cents/kWh), and its total costs to be the lowest (around 5 euro cents/kWh).⁹ Similarly, the NEEDS study (2009), has nuclear as being comparable to wind (offshore) with regards to quantifiable external costs, and the lowest with regards to social costs.¹⁰ Both these studies echo the findings in the Final Technical Report of the ExternE project (2005).

⁷ UNEP, Environmental Impact Assessment and Strategic Environmental Assessment: Towards an Integrated Approach, 2004: 127 (Table 6.6)

⁸ IAEA, Judge Nuclear on Its Merits: 5

⁹ Alfred Voss, Life Cycle Analysis for Different Energy Sources, Symposium Energy 2050, 2009

¹⁰ A. Ricci, ISIS, Policy Use of the NEEDS Results, 2009.

Table 1 – Life-cycle assessment of GHG emissions and nuclear energy (all values gCO₂eq/kWh)*

<i>Study Cited</i>	<i>Best/Min</i>	<i>Typical/Mean/ Reported</i>	<i>High/Max</i>	<i>Nuclear's Rank</i>
Hydro Quebec (Canada)	6	16		2 nd lowest source (after hydro run-of-river [4])
PESS/IAEA (Austria)	2.8	10	24	2 nd lowest source (after hydro [8])
CRIEPI (Japan)	9	29	44	3 rd lowest source (after hydro [11] and geothermal [15])
CERI (Canada)		1.8		No ranking (coal and natural gas comparison)
Vattenfall (Sweden)		2.6		Lowest of their sources
FTI (USA)		17		3 rd lowest source (after wind [14] and geothermal [15])
Eurelectric (EU)	1	16	220	4 th lowest source (after hydro [4], wind [12] and ocean energy [8])
WEC	3		40	No ranking (ranges provided)
IEA	2		59	2 nd lowest source (to hydro [1-48])
Voss (German)		20		Lowest source
Lenzen (Australia)	10 10	60 (LWRs) 65 (HWRs)	130 120	3 rd lowest source (after hydro [15] and wind [21])
Beerten, J., et al (Belgium)	8	58	110	No ranking

*Some values above converted from kt eq CO₂/TWh and t CO₂/GWh

LSA and Accidents at Nuclear Plants

A 2005 update to the methodology of the ExternE/Externalities of Energy project addressed the issue of major accidents in the energy sector. It found the lowest expected fatality rates for western hydropower and nuclear power plants, resulting in low associated external costs for these sources. However, it also found the maximum credible consequences are very large and somewhat dryly noted “the corresponding risk valuation is subject to stakeholder value judgments.”¹¹ The Fukushima accident confirms this finding and the one that followed – that the damages caused by severe accidents in the energy sector are substantial but quite small compared to those caused by natural disasters. Nonetheless, they can have a significant impact on the publics’ risk perception of, and political support for, the nuclear option.

¹¹ ExternE – Externalities of Energy, Methodology 2005 Update, 2005: 206

Conclusions

It has been said that SEA deals with paths and not places, with concepts and not particular activities in terms of its geographic or technical specification and design. It is understood that SEA must address the strategic component of any decision instrument in a way that is practical and responsive to integrated approaches towards sustainability goals.¹² If our strategic imperative is to deal with the problem that is climate and carbon – among the largest and most pressing of our sustainability goals, we must consider fuel choice in any and all decision instruments when choosing how we will generate electricity.

Incorporating LCA information into SEA can help it achieve its two main aims:¹³

- promote environmentally and socially sustainable development by considering and identifying best practicable environmental options based on their life cycle impacts; and
- strengthen and streamline project EIA by providing environmental “clearance” of policy and planning issues that are addressed either ineffectively or not at all by EIA (such as justification and major alternatives).

Incorporating LCA information in SEAs of electricity generation would provide a comparative assertion of the impacts of the nuclear fuel choice on climate and carbon, and help us deal with the climate problem. From a GHG emission perspective nuclear power plants are very attractive since they have a huge GHG life-cycle reduction potential when displacing fossil fuel fired power plants, while providing energy services similar to most fossil fuel based energy technologies.¹⁴ Table 1 shows that on average nuclear power plants have among the lowest life-cycle GHG emissions of all assessed technologies. When the climate change benefits of nuclear energy are explained, public support for nuclear energy increases significantly.¹⁵

Recommendations

The nuclear industry would benefit from a more detailed and complete information base for life cycle assessment of it as a primary energy option, and should invest in an industry-wide data collection effort to this end.

Al Shpyth

EcoMetrix Incorporated, Saskatoon, Saskatchewan, Canada
(ashpyth@ecometrix.ca)

¹² Partidario, 1994 in IAIA Training Course Manual: 9

¹³ Sadler and Brook, 1998 in UNEP: 92

¹⁴ D. Weisser, PESS/IAEA, A guide to life-cycle greenhouse gas emissions from electric supply technologies: 21

¹⁵ OECD, Public Attitudes to Nuclear Power, 2010: 8

References

- Abaza, H., Bisset, R. and Sadler, B. (2004) Environmental Impact Assessment and Strategic Environmental Assessment: Towards an Integrated Approach, United Nations Environment Program, 2004
- Beerten, J., et al., Greenhouse gas emissions in the nuclear life cycle: A balanced appraisal. *Energy Policy* (2009)
- Bickel, P. and Friedrich, R., editors (2005) *ExternE – Externalities of Energy: Methodology 2005 Update*, European Commission, Directorate-General for Research, Sustainable Energy Systems, IER, Germany
- Canadian Energy Research Institute (2008) *Comparative Life Cycle Assessment (LCA) of base load electricity generation in Ontario*, Prepared for the Canadian Nuclear Association, October 2008
- EurElectric (2011) Life Cycle Assessment of Electricity Generation, Prepared under Renewables Action Plan
- European Commission (2005) ExternE-Pol Final Technical Report (2005) *Externalities of Energy: Extension of accounting framework and Policy Applications*, Version 2, August 2005, European Community/EESD Programme
- Gagnon, L. (2003) Greenhouse Gas (GHG) Emissions from Power Generation Options, Hydro-Québec, Direction - Environment
- International Association for Impact Assessment, Strategic Environmental Assessment: Performance Criteria, Special Publication Series No. 1, January 2002
- International Atomic Energy Agency IAEA), Judge Nuclear on Its Merits, accessed 30/03/12 at <http://www.iaea.org/OurWork/St/NE/judge-nuclear.html>
- International Energy Agency, World Energy Outlook 2011, Executive Summary
- International Energy Agency – Implementing Agreement for Hydropower Technologies and Programmes (2002) *Environmental and Health Impacts of Electricity Generation: A Comparison of the Environmental Impacts of Hydropower with those Other Generation Technologies*, June 2002
- Lenzen, M. (2008) Life cycle energy and greenhouse gas emissions of nuclear energy: A review. *Energy Conservation and Management* 49, 2178-2199
- Meier, P.J. (2002) *Life-Cycle Assessment of Electricity Generation Systems and Applications for Climate Change Policy Analysis*, Fusion Technology Institute, University of Wisconsin
- Organization for Economic Co-operation and Development (2010) Public Attitudes to Nuclear Power, Nuclear Energy Agency No. 6859
- Partidário, M.R. (2003) Strategic Environmental Assessment (SEA): current practices, future demands and capacity-building needs, International Association for Impact Assessment, IAIA Training Courses, Course Manual, 2003
- Ricci, A. *New Energy Externalities Development for Sustainability – Policy Use of the NEEDS Results*
- Vattenfall (2005) *Life-cycle assessment: Vattenfall's Electricity in Sweden*, Stockholm
- Voss, A. (2009): *Life Cycle Analysis for Different Energy Sources*; Presentation to Symposium Energy 2050, Stockholm 19-20 October 2009
- Voss, A. (2000): *Sustainable Energy Provision: A comparative assessment of the various electricity supply options*; Proceedings of the SFEN Conference "What Energy for Tomorrow?", Strasbourg, 27-29 November 2000 , 19-27
- Weisser, D., (2007): A guide to life-cycle greenhouse gas (GHG) emissions from electric supply technologies, *Energy* Vol. 32, Issue 9, Pages 1543-1559
- World Bank (2006) Environmental Impact Assessment Regulations and Strategic Environmental Assessment Requirements: Practices and Lessons Learned in East and Southeast Asia, Environment & Social Development Safeguard Dissemination Note No. 2, Washington, D.C.
- World Energy Council (2004) Comparison of Energy Systems Using Life Cycle Assessment, July 2004
- Yamada, K. (2008) Life Cycle Assessment of Electricity Generation in terms of CO₂ Emissions: An LCA of Electric Power in Japan, Hydropower I.A., IEA, Paris, France